

	Hits	Search Text	DBs
1	0	("valveandwax").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	13900	valve and wax	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	1003	(251/11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	63	(valve and wax) and ((251/11).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	635	(236/101r).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	49	(236/99k).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	181	(236/101e).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	43	(137/76).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	194	(60/516).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	722	(60/517).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	404	(60/520).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	46	(60/523).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	588	(60/527).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	3541	((251/11).CCLS.) or ((236/101r).CCLS.) or ((236/99k).CCLS.) or ((236/101e).CCLS.) or ((137/76).CCLS.) or ((60/516).CCLS.) or ((60/517).CCLS.) or ((60/520).CCLS.) or ((60/523).CCLS.) or ((60/527).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT

EAST search 5/19/64

	Hits	Search Text	DBs
15	1451	((251/11).CCLS.) or ((236/101r).CCLS.) or ((236/99k).CCLS.) or ((236/101e).CCLS.) or ((137/76).CCLS.) or ((60/516).CCLS.) or ((60/517).CCLS.) or ((60/520).CCLS.) or ((60/523).CCLS.) or ((60/527).CCLS.)) and valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	122	((251/11).CCLS.) or ((236/101r).CCLS.) or ((236/99k).CCLS.) or ((236/101e).CCLS.) or ((137/76).CCLS.) or ((60/516).CCLS.) or ((60/517).CCLS.) or ((60/520).CCLS.) or ((60/523).CCLS.) or ((60/527).CCLS.)) and valve) and wax	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	11	((251/11).CCLS.) or ((236/101r).CCLS.) or ((236/99k).CCLS.) or ((236/101e).CCLS.) or ((137/76).CCLS.) or ((60/516).CCLS.) or ((60/517).CCLS.) or ((60/520).CCLS.) or ((60/523).CCLS.) or ((60/527).CCLS.)) and valve) and wax) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	9	((251/11).CCLS.) or ((236/101r).CCLS.) or ((236/99k).CCLS.) or ((236/101e).CCLS.) or ((137/76).CCLS.) or ((60/516).CCLS.) or ((60/517).CCLS.) or ((60/520).CCLS.) or ((60/523).CCLS.) or ((60/527).CCLS.)) and valve) and wax) and (threshold with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	199	(valve and wax) and (threshold with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	115	((valve and wax) and (threshold with temperature)) and retain\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	62	((valve and wax) and (threshold with temperature)) and retain\$3) and releas\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
22	23	((((valve and wax) and (threshold with temperature)) and retain\$3) and releas\$3) and valve.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	7	5188287.URPN.	USPAT
24	5	5188287.URPN. and wax and valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	9286	valve and actuator and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	895	valve and actuator and (temperature near5 threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	291	(valve and actuator and (temperature near5 threshold)) and retain\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	59	((valve and actuator and (temperature near5 threshold)) and retain\$3) and wax	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	2063	(temperature adj sensitive) with valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	80	((temperature adj sensitive) with valve) and (threshold with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	23	((((temperature adj sensitive) with valve) and (threshold with temperature)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	6	(((((temperature adj sensitive) with valve) and (threshold with temperature)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)) and wax	USPAT; US-PGPUB; EPO; JPO; DERWENT
33	4	((("3032058") or ("4775101") or ("5188287") or ("5738276"))).PN.	USPAT
34	67424	(safety or relief) adj valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	406	((safety or relief) adj valve) and (threshold with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT
36	17	((((safety or relief) adj valve) and (threshold with temperature)) and wax	USPAT; US-PGPUB; EPO; JPO; DERWENT
37	46	((((safety or relief) adj valve) and (threshold with temperature)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
38	53657	(retaining or holding) adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT
39	267	((safety or relief) adj valve) and ((retaining or holding) adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT
40	0	((((safety or relief) adj valve) and (threshold with temperature)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)) and (((safety or relief) adj valve) and ((retaining or holding) adj device))	USPAT; US-PGPUB; EPO; JPO; DERWENT
41	26	((safety or relief) adj valve) and ((retaining or holding) adj device)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	3552	valve and (retaining adj member)	USPAT; US-PGPUB; EPO; JPO; DERWENT
43	977	(valve and (retaining adj member)) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT
44	138	((valve and (retaining adj member)) and temperature) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
45	27657	shut adj off adj valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
46	161	(shut adj off adj valve) and (threshold with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT
47	29	((shut adj off adj valve) and (threshold with temperature)) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
48	92168	valve with releas\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
49	4358	(valve with releas\$3) and (temperature near4 (threshold or given or predetermined))	USPAT; US-PGPUB; EPO; JPO; DERWENT
50	61732	valve near5 releas\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
51	3018	(valve near5 releas\$3) and (temperature near4 (threshold or given or predetermined))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Hits	Search Text	DBs
52	342	((valve near5 releas\$3) and (temperature near4 (threshold or given or predetermined))) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT
53	262	((valve near5 releas\$3) and (temperature near4 (threshold or given or predetermined))) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)) and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT
54	123972	(retaining or holding) adj (member or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT
55	13	((valve near5 releas\$3) and (temperature near4 (threshold or given or predetermined))) and (236/\$.ccls. or 251/\$.ccls. or 137/\$.ccls.)) and spring) and ((retaining or holding) adj (member or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT